Large Payloads Robot ER210-2700

ER210-2700 is a large payloads robot.

Maxium payload 210 kg with maxium reach 2674 mm.

Highlights

Thanks to the high stiffness structure, with high-speed intelligent palletizing application software, the takt is improved by 20%, bring customers more efficiency;

Multiple specific application software could be integrated, with soft PLC and a variety of field bus interface, which enable customers easily face various application challenges;

High performance collision detection function helps safety realization.

Applications

It can be widely used in spot welding, handling, palletizing, machine tending and other applications.

Industries

Suitable for auto parts, photovoltaic, food and beverage,building materials, logistics and warehousing and other industries.

EFORT


....

EFORT SPE


SPECIFICATIONS	
-----------------------	--

Model		ER210-2700	Allowable Torque	J4	1337 N.m
Туре		Articulated Type		J 5	1337 N.m
13he		Articulated Type		J6	720 N.m
Controlled Axes		6 Axes	Allowable Moment of Inertia	J4	141.1 kg.m²
Wrist Payload		210 kg		J 5	141.1 kg.m²
Repeatability		±0.1 mm		J6	79 kg.m²
51.00000			Maximum Speed	J1	100°/sec
Robot Weight		1110 kg		J2	90°/sec
Reach		2674mm		J3	85°/sec
Robot IP Grade		IP65		J4	109°/sec
Cabinet IP Grade		IP54		J 5	105°/sec
Cabinet IP Grade		1234		J6	200°/sec
Drive Method		Electric servo drive by AC servo motor		J1	± 180°
Installation		Floor		J2	+60°/-80°
Environment Requirements	Ambient Temperature	0~45 ℃	Motion Range	J3	+90°/-83°
				J4	±360°
	Humidity	<80%/40℃ (No Condensation)		J 5	±120°
	Vibration Acceleration	4.9 m/s²(<0.5 G)		J6	±360°

OPERATING SPACE



BASE MOUNTING SIZE



EFORT INTELLIGENT EQUIPMENT CO.,LTD. PHONE: (00 86) 400-052-8877 ADDRESS: No.96 East WanChun Road, JiuJiang Economic Development Zone, Wuhu, Anhui, China WWW.EFORT.COM.CN



